DEPLOYMENT GUIDE

USING ARUBA SD-WAN WITH MICROSOFT AZURE VIRTUAL WAN SIMPLIFYING AND AUTOMATING BRANCH OFFICE AND CLOUD CONNECTIVITY

INTRODUCTION

Aruba, a Hewlett Packard Enterprise company, and Microsoft have partnered to deliver a fully automated, scalable, and software-defined experience to easily connect branches to the Azure Virtual WAN. This partnership, utilizing Aruba SD-WAN for the branch solution, enables secure branch-to-Azure connectivity, and branch-to-branch connectivity, across a Microsoft-powered backbone.

The integration utilizes Aruba Cloud Connect, a service within Aruba Central. Using Cloud Connect, Aruba branch gateways establish secure connectivity with third-party service endpoints acting as headends. This allows connectivity from Aruba gateways for future integration with any hosted cloud service. Cloud Connect orchestrates connectivity from Aruba gateways into third-party cloud services such as Azure Virtual WAN, Palo Alto Prisma Access, and Zscaler Internet Access.

ABOUT AZURE VIRTUAL WAN

Azure Virtual WAN (Figure 1) is a service that provides customers with simplified connectivity into Azure and leverages the Azure backbone to route traffic across the globe.



Figure 1: Azure Virtual WAN

Azure provides over fifty-four regions and multiple points of presence (PoPs) across the globe. This allows the customer to leverage the Azure backbone to simplify network connectivity and streamline the delivery of critical business needs for the customer.

Azure regions serve as hubs that provide traffic gateways to customer branches. Once the branches are connected, customers can leverage the Azure backbone to establish branch-to-branch and branch-to-Azure connectivity. Customers can further simplify their networks by applying multiple Azure services including hub peering with Azure VNETs.

USE CASES AND BENEFITS

The integrated solution between Aruba SD-WAN and Azure Virtual WAN provides:

- Simplified deployment of large-scale, secure and optimized branch connectivity across the global Microsoft network.
- Optimized routing between branch offices and Azure-hosted workloads in any region with secure connectivity using orchestrated IPsec tunnels and route exchange.
- Secure and optimized branch-to-branch connectivity leveraging the Microsoft-powered backbone in the same or multiple regions.

DEPLOYMENT STEPS

The first step is to add your account into Aruba Central for Microsoft Azure (Figure 2). You will provide an account name, as well as subscription, application and tenant identifiers, and a secret key for the Azure application.

aruba Central	Search or ask Aruba		ፍ 🧿 腸 🔒
요 Global	SD-WAN OVERLAY Virtual Gateways Cloud Connect Cloud Security (.egacy)	i⊟ List Settings
— Manage ———	Accounts Deployment		
B Overview			
Devices	ADD AZURE ACCOUNT	Account name for reference : Max 32 character, alphanumeric	
🗖 Clients		Directory (tenant) ID for the Azure application	
😩 Guests	ACCOUNT NAME *	Subscription ID for your Azure account Application (client) ID for the Azure application	
Applications		Enter the secret key for the Azure application	
Security	Directorv (tenant) ID *		
& Network Services	Subscription ID *		
— Analyze ———			
Alerts & Events	Application (client) ID		STATUS
🛛 Audit Trail			
🖏 Tools	Secret kev *		e1 ACCESS VERIFIED
ជិ. Reports			
— Maintain ————	CANCEL SUBMIT		
Firmware			
<mark>ខ</mark> ៃ Organization			
			1 to 2 of 2 K < Page 1 of 1 > >

Figure 2: Add Azure account

Following that, the Cloud Connect application will discover the Virtual WAN hubs for the account and display them in the deployment table. Resources such as Virtual WAN hubs must be created using the Azure portal (see the Appendix below).

If multiple accounts are selected, upon selecting the specific account, all the Virtual WAN hubs show up in the topology along with the region.

Select a branch group¹ from the list and map it to the Virtual WAN hubs (Figure 3).

¹ Each branch group in Aruba Central represents a group of branch gateways that share a common configuration and policy.

		Se 82	Search or ask Aruba				Q	0
Global	SD-WAN OVERLAY Virtual Gateway	چو Cloud Connect	Cloud Security (Legacy)					List
lage	Accounts Deployment							
Overview								
Devices			INFCTIONS					
	GROUP TO CLOU	D HOB COI	NNECTIONS					
Clients	Select a group for connecting to	an appropriate Cloud F	lub					
Guests		Branch-S	pain					
Applications	Y Filter groups	CLOUD HU	IBS		AWS AZURE(1) ZSCALER			C
Security	Branch-California	ACCOUNT	VIRTUAL WAN	REGION	VIRTUAL HUB	CONNECTI	DEPLOYMENT STATUS	
Notwork Sorvisos	Branch-HQ	Azure-Samue	Tropical-WAN	West US 2	California-Hub			
Network services	Branch-NY-2	sdwan-azure	Acme-vWAN	East US	Comornia-rido	0		
ilyze	Branch-Santa-Clara	edwan-atura	Arma-MAN	Wart LIS	Acme-East-VHub			
Alerts & Events	Branch-Singapore	suwan-azure	Actile-vitiAn	west 03	Acme-West-vHub	0		
Audit Trail	Branch-Spain	sdwan-azure	Hari-VirtualWAN-CentralUS	Central US	VHUB-Hari_centralUS	0		
Tools	Branch-Torosto	sdwan-azure	karan-vWAN	Japan East	vhub-karan			
Paparts	IAP-Group-Hari	sdwan-azure	Emea-vWAN	UK South	emea-hub			
Reports	London-vGW-DC	Azure-Samue	I Tropical-WAN	West Europe	Europe-Hub		Completed	
intain								

Figure 3: Selecting Connection for a Branch Group

This "branches to hubs" view shows the full cloud topology for the added account(s).

Then, once the connections are set, all of the branch gateways (within in the group) are securely connected to the Virtual WAN headends. You can verify that the connection are correct (Figure 4).

aruba Centr	ral			Q						٩	0) 111	8
ନ୍ତୁ Global		CD SD-WAN OVERLAY Virtual Gateway	Cloud Connect	CS loud Security	(Legacy)						List		100
Manage		Accounts Deployment											
፬ Devices ゐ Clients		GROUP TO CLOU	JD HUB CON	NECTI	ONS								
Guests		⊽ Eilter annun	Branch-Sar	nta-Clar	a		L INC.	A71106 / 21 77001100			C		
Applications		Branch-California	ACCOUNT	17.0 	VIRTUAL WAN	REGION		VIRTUAL HUB	CONNECTI	DEPLOYMENT STATUS	U		
Alerts & Events	AZURE GROUP Branch	e ACCOUNT -California sdwan-azuro	VIR1	VIRTUAL WAN REGION Acme-WAN Korea Central		VIRTUAL HUB Korea-VHub		ACTIONS Disconnect					
Reports	Branch	-Spain sdwan-azure -Santa-Clara Azure-Samu	Acm El Trop	ie-vWAN	Korea C West U	entral	Calif	la-vHub	Disconnect				
Paintain Firmware Corganization	1					1			CANCEL	SUBMIT			

Figure 4: Branch Group to Hub Connections are Established.

To further validate the final state of connectivity, you can return to the Azure portal and check the new branch sites that were created, along with IP addresses, hub associations, and their regions (Figure 5).

Home > Tropical-WAN							
Tropical-WAN VP	PN sites					×	
Search (Cmd+/) «	┿ Create site ↓ Download S	🖉 Edit site					
Access control (IAM)	Search this page						
🔷 Tags	to Add filter	Connected Hubs					
Settings	Y Hou must	Hub name		Location	Co	onnectivity status	
Configuration	Select all sites	🗮 California-Hub		West US 2	0	Connected	
Properties	VPN Sites 🕕						
🔒 Locks	Page: 1 V	Links					
Export template		Link name	Provider name	Speed	IP address / FODN BO	SP addrocc	ASN
	Site	LINK Harrie	riorider nume	shees	in address / r quite	ar audress	A314
Connectivity	Site	casa_inet	CASA	100 Mbps	17	72.100.0.2	65000
Connectivity	Site	casa_inet	CASA	100 Mbps	17	72.100.0.2	65000
Connectivity Hubs IVPN sites	Site aruba-00eed6458bd500bf6i	casa_inet	CASA	100 Mbps	17	72.100.0.2	65000
Connectivity Hubs VPN sites Structure Configurations	Site aruba-00eed6458bd500bf6i aruba-00eed6458bd500bf6a5	casa_inet	CASA	100 Mbps Hub - Connected	× unices / reprint of the second sec	**************************************	65000
Connectivity Hubs VPN sites User VPN configurations ExpressRoute circuits	Site aruba-00eed6458bd500bf6i aruba-00eed6458bd500bf6a5	a06d O Provisioned	CASA CASA V1 hubs	100 Mbps Iub - Connected East US	√ 1 links 67.169.67	72.100.0.2	65000
Connectivity	Site aruba-00eed6458bd500bf6a aruba-00eed6458bd500bf6a5 aruba-00eed6458bd500bf6a5	a06d O Provisioned	CASA CASA CASA Casa V1 hubs A California	100 Mbps iub - Connected East US	√1 links 67.169.67	···· ···· ···· ···· ···· ····	65000
Connectivity	Site aruba-00eed6458bd500bf6a5 aruba-00eed6458bd500bf6a5 aruba-00eed6458bd500bf6a5 aruba-00eed6458bd500bf6a5	a06d O Provisioned	CASA CASA CASA California California California California	100 Mbps iub - Connected East US	✓ 1 links ✓ 1 links ✓ 1 links		65000
Connectivity Connectivity Connectivity Connections Connections Connection monitor Connection monitor Connection monitor	Site aruba-00eed6458bd500brf6a aruba-00eed6458bd500brf6a5 aruba-00eed6458bd500brf6a5 aruba-00eed6458bd500brf6a5	albed Provisioned	CASA CASA CASA V1 hubs A California V1 hubs	100 Mbps iub - Connected East US +Hub - Connec East US	↓ 1 links 67.169.67 ↓ 1 links 76.102.17.	.72	65000

Figure 5: Verification of correct mapping via the Microsoft Azure Portal

Aruba Central provides visibility and monitoring for tunnels created from all the branches to the Virtual WAN Hubs. From any branch gateway, you can view tunnel and routing details to the Azure Virtual WAN hubs (Figures 6 and 7).

Orubo Central		Q Search or as						Q	0 11
← 傘 GW-Madrid-01 🛛 ⊘	Summary Tunnels Path								31
Manage								Ac	tions 🔻 🕒 Go l
Overview									
♀ WAN	TUNNELS SUMMARY								
🕹 LAN	TOTAL	UP		DOWN		PEERS		ORCHE	
	2	2		0		2		5	2-
월 Device	TUNNELS (2)								
Clients	▼ Name	IE.		▼ Mode ▼	Source	Destination	Loss	Latency	Availability
Applications	yw-madrid-01:telefonica_inet	westeurope:primary:51.105.250.78	• Up	ORCH-SRV	192.168.1.93	51.105.250.78		12	5.56%
Security	LIPTIME	LINK		WAN IP					
Analyze	0d:0h:28m	telefonica_inet		192.168	.1.93	3	GE0/0/3		
Alerts & Events	LAST CHANGE REASON Tunnel not established	PEER IP 0.0.0.0		VLAN 4086			SOURCE MAC 20:4c:03:81:e7	:d2	
Audit Trail	NEXT REKEY	AUTH		IN SPI			OUT SPI		
	Aug 25, 2020, 19:43 ENCRYPTION	SHA1		aa958c0	0		3aa78274		
🖏 Tools	AES-256								
🗓 Reports	Tunnel Status	Usage Throughpu	it Perfori	nance					
Maintain ————	Poor (5.56%)	Received Sent Received S	ent MC	S					
Firmware									
	AV/	VILABILITY							
		Aug 25, 2020, 15:12	Down	Aug 25, 202), 16:42		Aug 25, 2	020, 18:12	
			e Down	ino issues II Unkni	awo () invalid				
	> gw-madrid-01:telefonica_inet	westeurope secondary:51.105.250.102	• Up	ORCH-SRV	192.168.1.93	51.105.250.102			8.33%

Figure 6: Tunnel Details for Branch Gateway into Azure Virtual WAN

				Q Search or ask Arub					Q () :
🙊 GW-Madrid-01	Summar	y Routing	Sessions Al Insights						3 hours
lanage	Route	Table BGP OSPF	F Overlay RIP						
B Overview									_
WAN									Actions 👻 🔹
s LAN	BGP	SUMMARY	ABLED ROUTER ID: 10.12	27.31.60 AS NUMBER 65	5002				
Device			NEIGHBO	RS			ROUTES L	EARNED	
Clients			2 UP 0 D	OWN			4		
Applications									
Applications	BGP	DETAILS	ES 🔻 TOTAL ROUTES: 4	LAST REFRESHED: 6:18:5	1 PM C				
Applications Security	BGP	DETAILS ROUT	ES 🔻 TOTAL ROUTES: 4	LAST REFRESHED: 6:18:5	1 PM C				
Applications Security	BGP	DETAILS ROUT	ES ▼ TOTAL ROUTES: 4	LAST REFRESHED: 6:18:5	1 PM C	▼ Local pref 4=	▼ AS path 1=	▼ State ▼ 1=	✓ Origin ▼
Applications Security alyze Alerts & Events	BGP	DETAILS ROUTH Y Network 172.100.0.2/32	ES ▼ TOTAL ROUTES: 4	LAST REFRESHED: 6:18:5 ▼ Nexthop IF 10.129.1.12	1 PM C	▽ Local pref 4=-	▼ AS path 1= 65515 65520 65520	∀ State ▼ 1= Valid	♥ Origin ▼ EGP
Applications Security alyze Alerts & Events Audit Trail	BGP	DETAILS ROUTI Y Network 172.100.0.2/32	ES ▼ TOTAL ROUTES: 4 IF ▼ Neighbor IF 10.129.1.12 10.129.1.13	LAST REFRESHED: 6:18:5 ▼ Nexthop 1₹ ★ 10.129.1.12 ↓ ★ 10.129.1.13 ↓	1 PM C ▼ Metric 1 0 0	▼ Local pref 1≓ 100 100	▼ AS path I≓ 65515 65520 65515 65520	Y State ▼ 1=" Valid Valid	♀ Origin ▼ EGP EGP
Applications Security alyze Alerts & Events Audit Trail Tools	BGP >	DETAILS ROUTH Y Network 172.100.0.2/32 10.129.1.0/24	ES V TOTAL ROUTES: 4	LAST REFRESHED: 6:18:5 ▼ Nexthop 15° ★ 10.129.1.12 10.129.1.13 ★ 10.129.1.12 10.129.1.12	1 PM C ▼ Metric 1 0 0 0	▼ Local pref i≓ 100 100 100 100	Y AS path 1= 65515 65520 65520 65520 65515 65520 65520 65515	Valid Valid	♥ Origin ▼ EGP EGP IGP
Applications Security alyze Alerts & Events Audit Trail Tools Beoorts	BGP >	DETAILS ROUTI Y Network 172.100.0.2/32 10.129.1.0/24 10.129.1.0/24	ES V TOTAL ROUTES: 4	LAST REFRESHED: 6:18:5 ▼ Nexthop IF ★ 10:129:1.12 ↓ ★ 10:129:1.13 ↓ ★ 10:129:1.12 ↓ ★ 10:129:1.13 ↓	1 PM C V Metric LF 0 0 0 0 0	▼ Local pref 15° 100 100 100 100	Y AS path LF 65515 65520 65520 65515 65515 65515	▼ State ▼ 15" Valid Valid Valid Valid	♥ Origin ▼ EGP EGP IGP IGP
Applications Security Alerts & Events Audit Trail Tools Reports	BGP	PETAILS ROUT Y Network 172.100.0.2/32 10.129.1.0/24 10.129.1.0/24 172.200.0/16	ES V TOTAL ROUTES: 4	LAST REFRESHED 6:18:5 ▼ Nexthop IF ★ 10:129:1.12 IF ★ 10:129:1.13 IF ★ 10:129:1.12 IF ★ 10:129:1.13 IF ★ 10:129:1.12 IF ★ 10:129:1.12 IF	1 PM C V Metric LF 0 0 0 0 0 0 0 0 0 0 0 0 0	▼ Local prof 15° 100 100 100 100 100 100 100 100	Y AS path LF 65515 65520 65520 65515 65515 65515 65515 65520 65520	▼ State ▼ 15" Valid Valid Valid Valid Valid Valid	▼ Origin ▼ EGP EGP IGP IGP EGP
Applications Security alyze — Alerts & Events Audit Trail Tools Reports aintain — —	BGP	DETAILS ROUTI Y Network 172:100.0.2/32 10.129.1.0/24 172:20.0.0/16	ES V TOTAL ROUTES: 4 IF Veighbor IF 10.129.1.12 10.129.1.13 10.129.1.13 10.129.1.13 10.129.1.13	Item Gitter ▼ Nexthop IF ★ 10.129.1.12 IF ★ 10.129.1.12 Image: State S	1 PM C	▼ Local prof 1F 100 100 100 100 100 100 100 100 100 100	X AS path IF 65515 65520 65520 65515 65515 65515 65515 65515 65515 65515 65520 65520 65515 65520 65520	▼ State ▼ 15° Valid Valid Valid Valid Valid Valid Valid Valid	▼ Origin ▼ EGP EGP IGP IGP EGP EGP
Applications Security alyze — Alerts & Events Audit Trail Tools Reports aintain — Firmware	BGP > >	OETAILS ROUTI ▼ Network 172:100.02/32 10.129.1.0/24 172:200.0/16 172:17.0.0/16 172:17.00/16	ES ▼ TOTAL ROUTES: 4 IF ▼ Neighbor IF 10.129.1.12 10.129.1.13 10.129.1.13 10.129.1.12 10.129.1.12 10.129.1.12 10.129.1.12	LAST REFRESHED 6:18:5 ▼ Nexthop IF ★ 10:129:1.12 ★ 10:129:1.13 ★ 10:129:1.13 ★ 10:129:1.13 ★ 10:129:1.13 ★ 10:129:1.13	1 PM C	♥ Local pref IF 100 100 100 100 100 100 100 100 100 100 100 100	AS path IF 65515 65520 65520 65515 65515 65515 65515 65515 65515 65515 65515 65515 65515 65515 65515 65515 65515 65515 65515 65520 65520 65515 65520 65520 65515 65520 65520 65515 65520 65520	▼ State ▼ 15° Valid Valid Valid Valid Valid Valid Valid Valid Valid Valid	Y Origin Y EGP EGP IGP IGP EGP IGP IGP IGP IGP

Figure 7: Routing details from Gateway connecting to Azure vWAN

CONCLUSION

This partnership between Aruba and Microsoft provides secure branch-to-Azure connectivity, and branch-to-branch connectivity, across a Microsoft-powered backbone. Using Aruba Cloud Connect, third-party service endpoints act as headends for Aruba branch gateways to establish secure, high performance connectivity. Furthermore, Aruba gateways can then be easily integrated with any hosted cloud service within Azure.

APPENDIX: CREATING VIRTUAL WAN RESOURCES IN THE AZURE PORTAL

To begin creating Virtual WAN resources, go to Azure Virtual WAN. Sign into Microsoft Azure, and select Create WAN (Figure 8).

Microsoft Azure P Search resources, services, and docs (G+/)	≥	₽	Q		٢	and shall be used	
Home > New > Virtual WAN Microsoft						×	<
Virtual WAN Save for later							
Azure Virtual WAN is a networking service that provides optimized and automated branch-to-branch connectivity through Azure. Virtual WAN lets you connect and co branch devices to communicate with Azure. This can be done either manually, or by using preferred provider devices through a Virtual WAN partner. Using preferred devices allows you ease of use, simplification of connectivity, and configuration management. The Azure WAN built-in dashboard provides instant troubleshooting insi that can help save you time, and gives you an easy way to view large-scale Site-to-Site connectivity.	nfigure rovider ghts						
Useful Links Service overview Documentation Pricing							

Figure 8: Create WAN

Enter a name for the WAN and select the subscription you wish to use for the WAN (Figure 9).

Home > New > Virtual WAN >

Create WAN

Basics Review + create

The virtual WAN resource represents a virtual overlay of your Azure network and is a collection of multiple resources. Learn more

Project details

Subscription *	Aruba-Device-Orchestration-App	~
Resource group *	Aruba_Azure_VWAN	\sim
	Create new	
Virtual WAN details		
Resource group location *	West Europe	\checkmark
Name *	vWAN-SD-Branch	~
Туре 🛈	Standard	~

|--|

Next : Review + create >

Figure 9: Subscription for Create WAN

Previous

Then, select an existing resource group or create a new resource group. Resource groups are logical constructs and data exchange across resource groups is always possible.

Next, select the location where you want your resource group to reside. The WAN is a global resource that does not have a location. However, you need to enter a location for the resource group that will contain metadata for the WAN resource.

Finally, click **Create**. This starts the process to validate and deploy your settings.

Now you have Virtual WAN resources into which you can add applications and access them from your branch offices.

RESOURCES

The following resources are available for more information:

- Aruba SD-WAN Home Page: Functionality and benefits of Aruba's SD-WAN solution
- Aruba SD-Branch Home Page: Functionality and benefits of Aruba's SD-Branch solution
- Aruba SD-WAN Datasheet: Includes ordering information for Aruba Virtual Gateways
- Aruba SD-WAN Gateways Ordering Guide: Includes ordering information for Aruba hardware gateways
- Microsoft Azure Marketplace: Includes instructions of creating WAN resources in Azure



© Copyright 2020 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

DG_Aruba-SD-WAN_SK_092420